

# Instant Client Installation for Microsoft Windows 32-bit


Version 12.1.0.2.0


Name	Download	Description
Instant Client Package - Basic	<a href="#">instantclient-basic-nt-12.1.0.2.0.zip</a>	All files required to run OCI, OCCI, and JDBC-OCI applications (67,410,370 bytes) (cksum - 530881682) The 12.1 Basic package requires the Microsoft Visual Studio 2010 Redistributable.


Link-download <https://www.oracle.com/database/technologies/instant-client/microsoft-windows-32-downloads.html>


See the [Instant Client Home Page](#) for more information about Instant Client packages.

1. Tải xuống
2. Giải nén file trong thư mục **C:\oracle\instantclient\_12\_2 (chưa có thì tạo)**
3. Thêm PATH environment variable. Làm theo hướng dẫn bên dưới









4. Download and install the correct Visual Studio Redistributable from Microsoft. Instant Client 12.2 requires the [Visual Studio 2013 redistributable](#). Instant Client 12.1 requires the [Visual Studio 2010 redistributable](#).

<https://learn.microsoft.com/en-us/cpp/windows/latest-supported-vc-redist?view=msvc-170#bookmark-vs2010>


Visual Studio 2010 (VC++ 10.0) SP1 (no longer supported)


**Note**  
Visual Studio 2010 Service Pack 1 reached end of extended support on July 14, 2020

Architecture	Version	Link
X86	32bit	<a href="#">vcredist_x86.exe</a>
X64	64bit	<a href="#">vcredist_x64.exe</a>


Download Redistributable files for other languages and architectures from:

- [Microsoft Visual C++ 2010 SP1 Redistributable Package MFC Security Update](#)





5. Tạo thêm thư mục C:\oracle\instantclient\_12\_2\network\admin và tạo thêm file tnsnames.ora như hình dưới



Trong file tnsnames.ora thì copy các đoạn kết nối database

```
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24 TEST =
25   (DESCRIPTION =
26     (ADDRESS = (PROTOCOL=tcp) (HOST= [REDACTED]) (PORT= [REDACTED]))
27     (CONNECT_DATA = (SERVICE_NAME= [REDACTED]) (INSTANCE_NAME=[REDACTED])))
28   )
```

## Cài Toad:

Link tải:  
<https://drive.google.com/file/d/1wKr-OV2E6alxLcnXJY7F2apIxOdJ72EV/view?usp=sharing>

- **License key :**  
CJ2PFCQ6P49Q4WHQT2D03GNTVX2AN5DG6FWD04YL4QW625KT391J9YF38VKB9  
2SNBWNW-RU-BOARD-BD
- **Site message :** cr2384

Bạn chọn **x64 (64 bit) hoặc x86 (32 bit)** tùy dựa vào Oracle Client đã cài x86 hay x64, trong ví dụ này tôi ví dụ cài bản x86, cài bản TOAD x64 cũng tương tự:



## Toad for Oracle 2018 Edition Installer (x86)

Welcome

- Welcome
- License Agreement
- Product Licensing
- Product Selection
- Destination Selection
- Prerequisite Checks
- Installation
- Finish



### Welcome to Toad® for Oracle

You are about to install Toad® for Oracle on your computer.

Toad® for Oracle is a database development and management toolset that reduces the time and effort database professionals spend on daily tasks. Save time and reduce risks with the leading Oracle database development and optimization software tool, as ranked by IDC\*.

\*Toad ranked number one in the database Development and Optimization software submarket by IDC in November 2015.

You will be able to:

- Reverse engineer data structures and build and maintain data models.
- Seamlessly work with your version control system.
- Ensure functional accuracy and reduce code defects with automated unit testing and code review.
- Quickly pinpoint and resolve database performance inefficiencies.
- Automate SQL optimization and database performance testing.
- Work with Oracle databases on-premise or in the cloud.

For more information, please visit Toad for Oracle Community at  
[www.community.toadworld.com/products/toad-for-oracle](http://www.community.toadworld.com/products/toad-for-oracle).

[How to Install Toad for Oracle](#)

©2018 Quest Software Inc. ALL RIGHTS RESERVED

[Next >](#)

[Cancel](#)



## Toad for Oracle 2018 Edition Installer (x86)

Check for potential installation prerequisite

- Welcome
- License Agreement
- Product Licensing
- Product Selection
- Destination Selection
- Prerequisite Checks
- Installation
- Finish



### Prerequisite Checks

[Check Again](#)

[Ignore All](#)

- ... ToadForOracle\_x86\_13.0.0.80=> Passed
- ... SpotlightOnOracle\_x86\_10.6.0.1922=> Passed
- ... SQLOptimizerForOracle\_x86\_9.2.3.952=> Passed
- ... BenchmarkFactory\_x86\_8.0.1.14=> Passed
- ... ToadDataModeler\_x86\_6.4.4.29=> Passed
- ... The Third party component dependency
  - ... Oracle 32-bit Client=> Passed
  - ... Microsoft Visual C++ 2015 Redistributable=> Passed
- ... System disk space
  - ... Space required: 1386.4 MB => Passed
- ... Requested execution level
  - ... Require Built-in Administrator=> Failed with warning

⚠ One or more potential prerequisites checking failed. You can check again or ignore it to continue.



©2018 Quest Software Inc. ALL RIGHTS RESERVED

[« Back](#)



[Install](#)

[Cancel](#)





## Toad for Oracle 2018 Edition Installer (x86)

Select the Quest Software products that you want to install

- Welcome
- License Agreement
- Product Licensing
- Product Selection
- Destination Selection
- Prerequisite Checks
- Installation
- Finish



### Product Selection

Select	Product Name	Version	Status
<input checked="" type="checkbox"/>	Toad® for Oracle 32-bit	13.0.0.80	Install
<input checked="" type="checkbox"/>	Spotlight® on Oracle 32-bit	10.6.0.1922	Install
<input checked="" type="checkbox"/>	Quest™ SQL Optimizer for Oracle 32-bit	9.2.3.952	Install
<input checked="" type="checkbox"/>	Benchmark Factory™ 32-bit	8.0.1.14	Install
<input checked="" type="checkbox"/>	Toad® Data Modeler 32-bit	6.4.4.29	Install

©2018 Quest Software Inc. ALL RIGHTS RESERVED

« Back

Next >

Cancel



## Toad for Oracle 2018 Edition Installer (x86)

View and add licenses

- Welcome
- License Agreement
- Product Licensing
- Product Selection
- Destination Selection
- Prerequisite Checks
- Installation
- Finish



### Please enter the License Key

License (Required field)

Site Message (Required field)

Add



Type	LicenseNumber	Site Message	Version	Expiration
Permanent	RU-BOARD	cr2384	10.X	-

©2018 Quest Software Inc. ALL RIGHTS RESERVED

« Back

Next >

Cancel



Cài thêm Notepad ++ :


<https://notepad-plus-plus.org/downloads/v8.4.6/>


# Thiết lập TNSNAME trong Environment


Tiếp đó:

Nhấn tổ hợp phím windows + S

Nhập : environment và chọn như hình bên dưới








# Thiết lập hosts trong C:\Windows\System32\drivers\etc

<https://tenten.vn/help/huong-dan-gan-host-cho-domain-tren-he-dieu-hanh-windows/>

Bước 1 : Sử dụng tổ hợp phím Windows + R để mở hộp thoại “Run” trên windows.

Bước 2: Nhập “C:\Windows\System32\drivers\etc” vào hộp thoại và nhấn Enter.



Bước 3: Chọn file hosts chọn edit dạng txt => thêm IP và hostname vào và save lại

The screenshot shows the Windows hosts file being edited in Notepad++. The file path is C:\Windows\System32\drivers\etc\hosts. The content of the file is as follows:

```
11 # Additionally, comments (such as these) may be inserted on individual
12 # lines or following the machine name denoted by a '#' symbol.
13 #
14 # For example:
15 #
16 #      102.54.94.97      rhino.acme.com      # source server
17 #              38.25.63.10      x.acme.com        # x client host
18 #
19 # localhost name resolution is handled within DNS itself.
20 #      127.0.0.1          localhost
21 #      ::1                 localhost
22 #
23
24 10.10 uat-db.thiennamspinning.com
```

A red box highlights the last line of the file, which is the new entry: "10.10 uat-db.thiennamspinning.com". To the right of the box, the text "save lại" is written in red, indicating the next step is to save the changes.